

2016

A New Host Record for the Bat Bug, *Cimex adjunctus* (Insecta: Hemiptera) from Eastern Small-footed Myotis, *Myotis leibii* (Chiroptera: Vespertilionidae)

D. B. Sasse

Arkansas Game and Fish Commission, blake.sasse@agfc.ar.gov

C. T. McAllister

Eastern Oklahoma State College

L. A. Durden

Georgia Southern University

Follow this and additional works at: <http://scholarworks.uark.edu/jaas>

 Part of the [Entomology Commons](#)

Recommended Citation

Sasse, D. B.; McAllister, C. T.; and Durden, L. A. (2016) "A New Host Record for the Bat Bug, *Cimex adjunctus* (Insecta: Hemiptera) from Eastern Small-footed Myotis, *Myotis leibii* (Chiroptera: Vespertilionidae)," *Journal of the Arkansas Academy of Science*: Vol. 70 , Article 50.

Available at: <http://scholarworks.uark.edu/jaas/vol70/iss1/50>

This article is available for use under the Creative Commons license: Attribution-NoDerivatives 4.0 International (CC BY-ND 4.0). Users are able to read, download, copy, print, distribute, search, link to the full texts of these articles, or use them for any other lawful purpose, without asking prior permission from the publisher or the author.

This General Note is brought to you for free and open access by ScholarWorks@UARK. It has been accepted for inclusion in Journal of the Arkansas Academy of Science by an authorized editor of ScholarWorks@UARK. For more information, please contact ccmiddle@uark.edu, drowens@uark.edu, scholar@uark.edu.

A New Host Record for the Bat Bug, *Cimex adjunctus* (Insecta: Hemiptera) from Eastern Small-footed Myotis, *Myotis leibii* (Chiroptera: Vespertilionidae)

D.B. Sasse^{1*}, C.T. McAllister², and L.A. Durden³

¹Arkansas Game and Fish Commission, Mayflower, AR 72106

²Science and Mathematics Division, Eastern Oklahoma State College, Idabel, OK 74745

³Department of Biology, Georgia Southern University, Statesboro, GA 30458

*Correspondence: blake.sasse@agfc.ar.gov

Running Title: New Host Record for *Cimex adjunctus*

The eastern small-footed myotis, *Myotis leibii* (Audubon and Bachman) is one of the rarest North American bats (Best and Jennings 1997). It occurs from Ontario, Canada to New England south to Georgia and Alabama and west into eastern Oklahoma (Reid 2006). In Arkansas, *M. leibii* occurs in scattered locales in the Ozarks and the western Ouachita Mountains (Sasse et al. 2013). It is ranked S1 (critically imperiled) in Arkansas by NatureServe (2016).

Little is known about the ectoparasites of *M. leibii*. As far as we can determine, only 2 species of chiggers, including *Euschongastia hamiltoni* Brennan and *Trombicula myotis* Ewing, have been reported infesting *M. leibii* from New York and Tennessee, respectively (Brennan 1947, Neuhauser 1971).

On 24 August 2015, the senior author (DBS) collected an adult female *M. leibii* from a crevice between sections of concrete guardrails on a bridge over Interstate 49 in Washington County at 35.81908°N 94.19147°W. It was found to have a single female bat bug on its left wing (Fig. 1A). The specimen was collected and shipped to CTM who identified it as belonging to the genus *Cimex*. It was subsequently placed in a vial of 70% ethanol and forwarded to LAD for specific identification.

The single adult bat bug was identified as *Cimex adjunctus* Barber using keys in Usinger (1966). A small amount of blood was present in the midgut of the specimen. The voucher specimen is deposited in the General Ectoparasite Collection in the Department of Biology at Georgia Southern University as L3726.

The senior author captured and examined small-footed bats in similar roosts in the Ozarks 461 times from 2013–2015 and associated bat bugs were only observed on two other occasions – a male bat captured at a bridge in Madison County on 28 August 2014 and a female bat captured in the same bridge on 5 September 2014, each had one *Cimex sp.*, which was




Figure 1. *Cimex adjunctus* from *Myotis leibii*. A. Bat bug (arrow) on wing. B. Stereoscopic view of *C. adjunctus*. Each scale bar on B = 1 mm.

not identified to species, on their left wings.

This bug has been previously reported from at least 11 bat species ranging in southeastern Canada and eastern United States, to as far west as Colorado

(Usinger 1966, Bowles et al. 2013, Grilliot et al. 2014). In Arkansas and Texas, *C. adjunctus* was recently reported by Grilliot et al. (2014) from Rafinesque's big-eared bats, *Corynorhinus rafinesquii*.

Cimex adjunctus is common on big brown bats, *Eptesicus fuscus*, (Bowles et al. 2013) which were occasionally captured in similar roost sites on bridges used by small-footed bats. On 16 September 2015, a male big brown bat was captured in between sections of concrete guardrails in a bridge over the White River in Madison County at 35.82828°N 93.8324°W and 2 *C. adjunctus* were collected from under the right wing and one from the top of the left wing and one was seen on top of the left wing and two additional specimens were found under the right wing of a female big brown bat captured at the same location. Specimens from the male bat were sent to CTM and LAD for identification and represent the first record of this parasite on big brown bats in Arkansas (voucher specimen L3729).

Interestingly, earlier reports of bat bugs on Arkansas bats were of the closely related species *C. pilosellus* Horvath (see Price et al. 1982, Steward et al. 1986). We document *C. adjunctus* in Arkansas for the second time and provide a new host record from *M. leibii*. This marks the first record of a bat bug parasitizing *M. leibii*.

Acknowledgments

We would like to thank Levi Horrell and Mike Wintroath of the Arkansas Game and Fish Commission for assistance in capturing and photographing bats.

Literature Cited

- Best TL** and **JB Jennings**. 1997. *Myotis leibii*. Mammalian Species 547:1–6.
- Bowles DE, RG Robbins, HJ Harlan** and **TL Carpenter**. 2013. New Missouri county records and review of the distribution and disease vector potential of *Ornithodoros kelleyi* (Arachnida: Ixodid: Argasidae) and *Cimex adjunctus* (Insecta: Hemiptera: Cimicidae). Proceedings of the Entomological Society of Washington 115:117–127.
- Brennan JM**. 1947. New species of chiggers (Acarina, Trombiculidae) from bats of the Nearctic region. Journal of Parasitology 33:245–252.
- Grilliot ME, JL Hunt, CG Sims** and **CE Comer**. 2014. New host and location record for the bat bug *Cimex adjunctus* Barber, 1939, with a summary of previous records. Journal of the Arkansas Academy of Science 68:149–151.
- NatureServe**. 2016. NatureServe Explorer: An online encyclopedia of life [web application]. Version 7.1. NatureServe, Arlington, Virginia. Available <http://explorer.natureserve.org>. (Accessed January 5, 2016).
- Neuhauser HN**. 1971. *Myotis leibii leibii* in the Great Smoky Mountains National Park. Journal of the Tennessee Academy of Science 46:79.
- Price AD, VR McDaniel** and **R Tumilson**. 1982. An infestation of the bat bug *Cimex pilosellus* on an Arkansas population of big brown bats (*Eptesicus fuscus*). Proceedings of the Arkansas Academy of Science 36:98.
- Reid FA**. 2006. Mammals of North America. Houghton Mifflin Company (Boston). 579 p.
- Sasse DB, TS Risch, DA Saugey, MJ Harvey, JD Wilhide, RK Redman, JL Jackson, T Klotz** and **PR Moore**. 2013. New records of the eastern small-footed bat (*Myotis leibii*) in Arkansas. Journal of the Arkansas Academy of Science 67: 214–216.
- Sealander JA** and **GA Heidt**. 1990. Arkansas mammals: Their natural history, classification, and distribution. University of Arkansas Press (Fayetteville). 308 p.
- Steward TW, VR McDaniel** and **DR England**. 1986. Additional records of distribution and hosts for the bat bug, *Cimex pilosellus* in Arkansas. Proceedings of the Arkansas Academy of Science 40:95–96.
- Usinger RL**. 1966. Monograph of Cimicidae (Hemiptera – Heteroptera). Thomas Say Foundation, Vol. VII. Entomological Society of America (College Park, Maryland) and The Horn-Shafer Company (Baltimore, Maryland). 585