

1969

Addition to the List of Spiders Collected in Clark County, Arkansas

Peggy Rae Dorris
Henderson State University

Follow this and additional works at: <http://scholarworks.uark.edu/jaas>

 Part of the [Entomology Commons](#), and the [Zoology Commons](#)

Recommended Citation

Dorris, Peggy Rae (1969) "Addition to the List of Spiders Collected in Clark County, Arkansas," *Journal of the Arkansas Academy of Science*: Vol. 23 , Article 16.

Available at: <http://scholarworks.uark.edu/jaas/vol23/iss1/16>

This article is available for use under the Creative Commons license: Attribution-NoDerivatives 4.0 International (CC BY-ND 4.0). Users are able to read, download, copy, print, distribute, search, link to the full texts of these articles, or use them for any other lawful purpose, without asking prior permission from the publisher or the author.

This Article is brought to you for free and open access by ScholarWorks@UARK. It has been accepted for inclusion in Journal of the Arkansas Academy of Science by an authorized editor of ScholarWorks@UARK. For more information, please contact ccmiddle@uark.edu, drowens@uark.edu, scholar@uark.edu.

AN ADDITION TO THE LIST OF SPIDERS COLLECTED IN CLARK COUNTY, ARKANSAS

Peggy Rae Dorris

Department of Biology, Henderson State College

Arkadelphia, Arkansas 71923

A preliminary list of spiders collected from Clark County, Arkansas was presented by Dorris (1968). At that time collections had been made for a period of one year only. Intensive collecting during each season of the year from 1967-1968 yielded an additional 3 families and 108 species of spiders unreported from Clark County.

The present research indicates that there is a very rich fauna of spiders in Arkansas and that spider populations of this state may far exceed those of surrounding southern states. Because of the unlimited expanse of varying habitats such as Delta, prairie, hills, mountains, swamps and other similar places a rich fauna of species ranging from the most common to the least common is expected.

From previous reports of nearby surrounding southern states and preliminary research of Clark County spiders, it appears that Arkansas offers a much richer spider fauna than most southern states. For instance, Fitch (1963) reported 192 species from Oklahoma, Dorris and McGaha (1967) reported 280 species from Mississippi, and Peck (1966) found 202 species in Missouri. Other surrounding states have reported similar species lists which are seemingly smaller than that expected from Arkansas.

At the present time, from Clark County alone, 28 families representing 216 species have been collected. The writer believes that more intensive collecting over a longer period of time and over a wider area of Arkansas will yield a very large list of species from the state.

Additions to the list found in Clark County prior to this time are as follows:

<p>DICTYNIDAE <i>Dictyna segregata</i> Gertsch & Mulaik</p> <p>GNAPHOSIDAE <i>Rachodrassus echinus</i> Chamberlin</p> <p><i>Drassylus covensis</i> Exline <i>Drassylus creolus</i> Chamber & Gertsch</p> <p><i>Drassylus mephisto</i> Chambers <i>Drassylus fallens</i> Chambers</p>	<p><i>Sergiolus capulatus</i> (Walckenaer)</p> <p><i>Cylyphosa sericata</i> (L. Koch)</p> <p><i>Cesonia bilineata</i> (Hentz)</p> <p><i>Zelotes laccus</i> (Barrows)</p> <p><i>Zelotes hentzi</i> Barrows</p> <p><i>Dressyllus depressus</i> (Emerton)</p> <p>CLUBIONIDAE <i>Meriola decepta</i> Banks</p> <p><i>Clubiona abbottii</i> C. L. Koch <i>Clubiona moesta</i> Banks</p>
--	---

Arkansas Academy of Science Proceedings

- Scotinella formica* (Banks)
Trachelas laticeps Bryant
Castianeira vulnerea Gertsch
Castianeira descripta (Hentz)
Castianeira longipalpus (Hentz)
- ANYPHAENIDAE**
- Anyphaena maculata* Banks
Anyphaena fragilis Banks
Anyphaena celer (Hentz)
- THOMISIDAE**
- Misumenops celer* (Hentz)
Misumenops oblongus Keyserling
Xysticus texanus Banks
Xysticus ferox (Hentz)
Xysticus auctificus Keyserling
Xysticus funestus Keyserling
Philodromus pernix Blackwell
Philodromus rufus Walckenaer
Philodromus keyserlingi Marx
Philodromus marxii Keyserling
Philodromus vulgaris Keyserling
Oxyptila conspurcata Thorell
- SALTICIDAE**
- Phidippus princeps* (Peckham)
Phidippus clarus Keyserling
Phidippus carolinensis
 Peckham & Peckham
Phidippus purpuratus
 Keyserling
Phidippus intercees Peckham
Phidippus mystaceus Emerton
Phidippus insignarius C. L. Koch
Phidippus pulmanii (Peckham)
Agassa cyanea (Hentz)
Agassa cerulea (Walckenaer)
Eris aurantia Lucas
Eris pineus (Kaston)
Eris marginata (Walckenaer)
Maevia vittata (Hentz)
Metacyrba undata (DeGreer)
Metacyrba taeniola (Hentz)
Peckhamia picata (Hentz)
Metaphidippus insignis (Banks)
Metaphidippus protervus
 (Walckenaer)
- Paraphidippus marginatus*
 (Walckenaer)
Sitticus floridanus
 Gertsch & Mulaik
Hentzia palmarum (Hentz)
Hentzia mitrata (Hentz)
Thiodina sylvana (Hentz)
Icius elegans Emerton
Habronattus coronatus (Hentz)
- THERIDIIDAE**
- Archeearanea tepidariorum*
 (C. L. Koch)
Theridion differens Emerton
Argyrodes trigonum (Hentz)
Euryopsis funebris (Hentz)
- MIMETIDAE**
- Mimetus interfector* Hentz
Ero furcata (Villers)
- ARANEIDAE**
- Glyptocranium bisaccatum*
 Comstock
Gasteracantha elipsoides
 (Walckenaer)
Acacesia hamata (Hentz)
Araniella displicata (Hentz)
Conepeira ozarkensis Archer
Epeira cornuta (Clerck)
Wixia ectypa (Walckenaer)
Aranea nordmanni (Thorell)
Aranea marmoreus Clerck
Aranea thaddeus (Linnaeus)
Neoscona sacra (Walckenaer)
Neoscona pratensis (Hentz)
Neosconella pegnica (Walckenaer)
Acanthepeira moesta Comstock
Singa pratensis Emerton
- TETRAGNATHIDAE**
- Mimognatha foxi* (McCook)
Pachygnatha tristriata C. L. Koch
Tetragnatha laboriosa Hentz
- OECOBIIDAE**
- Oecobius texanus* Bryant
- ERIGONIDAE**
- Eperigone maculata* (Banks)
Eperigone autumnalis Emerton

Spiders Collected from Mud-Dauber Nests

<i>Erigone tridentata</i> (Emerton)	<i>Lycosa helluo</i> Walckenaer
<i>Grammonata maculata</i> Banks	<i>Lycosa helluo annexa</i>
<i>Grammonata inornata</i> Emerton	Chambers & Ivie
<i>Walckenaera vigilax</i> (Blackwall)	<i>Pardosa pauxilla</i> Montgomery
LYSSOMANIDAE	<i>Pardosa saxatilis</i> (Hentz)
<i>Lyssomanes viridis</i> (Walckenaer)	<i>Pardosa saxatilis atlantica</i>
LINYPHIIDAE	Emerton
<i>Meioneta fabra</i> (Keyserling)	<i>Pirata minutus</i> Emerton
<i>Meioneta micaria</i> Emerton	<i>Pirata sylvanus</i>
LYCOSIDAE	Chambers & Ivie
<i>Schizocosa avida</i> (Walckenaer)	<i>Pirata sedentarius</i> Montgomery
<i>Arctosa funerea</i> (Hentz)	OXYOPIDAE
<i>Lycosa antelucana</i> Montgomery	<i>Oxyopes helius</i> Chambers

LITERATURE CITED

- Dorris, P. R. & McGaha, Y. J. 1967. The spiders of Mississippi. Jour. Mississippi Acad. Sci. 13:124-125.
- Dorris, P. R. 1968. A preliminary study of the spiders of Clark County Arkansas compared with a five year study of Mississippi spiders. Ark. Acad. Sci. Proc. 22:33-37.
- Fitch, H. S. 1963. Spiders of the University of Kansas natural history reservation and Rockefeller experiment tract. Univ. Kan. Publ. Mus. Nat. Hist. 33:1-202.
- Peck, W. B. 1966. The population composition of a spider community in West Central Missouri. Amer. Mid. Nat. 76:151-168.