2015

Eastern Boxelder Bug, *Boisea trivittata* (Hemiptera: Rhopalidae) Confirmation in Arkansas

S. W. Chordas III
Ohio State University

C. T. McAllister
Eastern Oklahoma State College, cmcallister@se.edu

Follow this and additional works at: <https://scholarworks.uark.edu/jaas>

Part of the [Entomology Commons](#)

Recommended Citation

Chordas, S. W. III and McAllister, C. T. (2015) "Eastern Boxelder Bug, *Boisea trivittata* (Hemiptera: Rhopalidae) Confirmation in Arkansas," *Journal of the Arkansas Academy of Science*: Vol. 69 , Article 24.

DOI: <https://doi.org/10.54119/jaas.2015.6918>

Available at: <https://scholarworks.uark.edu/jaas/vol69/iss1/24>

This article is available for use under the Creative Commons license: Attribution-NoDerivatives 4.0 International (CC BY-ND 4.0). Users are able to read, download, copy, print, distribute, search, link to the full texts of these articles, or use them for any other lawful purpose, without asking prior permission from the publisher or the author.

This General Note is brought to you for free and open access by ScholarWorks@UARK. It has been accepted for inclusion in Journal of the Arkansas Academy of Science by an authorized editor of ScholarWorks@UARK. For more information, please contact scholar@uark.edu.

The Eastern Boxelder Bug, *Boisea trivittata* (Hemiptera: Rhopalidae): Confirmation in Arkansas

S.W. Chordas III¹ and C.T. McAllister^{2*}

¹Center for Life Sciences Education, The Ohio State University, 260 Jennings Hall, 1735 Neil Avenue, Columbus, OH 43210

²Science and Mathematics Division, Eastern Oklahoma State College, Idabel, OK 74745

*Correspondence: cmcallister@se.edu

Running Title: The Eastern Boxelder Bug in Arkansas

The documented hemipteran fauna of Arkansas has grown tremendously since taxa listed in Henry and Froeschner (1988). Several more recent reports have documented new records for the state (see Chordas et al. 2014). Although common and widespread, Chordas et al. (2005) pointed out that the eastern boxelder bug, *Boisea trivittata* (Say, 1825) was not included in the Arkansas list by Henry and Froeschner (1988). Although surprising, given the commonality of this bug, our literature search did not contradict the notion of the lack of a refereed published report of this species for Arkansas. Here, we document *B. trivittata*, with deposited voucher specimens, for the state.

On 19 March 2014, CTM collected numerous plant bugs from a terrestrial habitat at Flint Creek, SW of Gentry off county road 10, in Benton County (36°14'23.23"N, 94°30'00.03"W, elevation 330 m). Bugs were collected with a standard insect sweep net, placed in 70% ethanol and forwarded to SWC for identification. Voucher specimens were deposited into the C.A. Triplehorn Insect Collection (The Ohio State University, Columbus, Ohio). Brimley (1938), Henry and Froeschner (1988), Maw et al. (2000), Grimnes et al. (2003), Palazzo and Setzer (2009) and a WorldCat literature search were used for published distribution references.

Bugs were identified as males, females and nymphs of *B. trivittata*. Numerous specimens were collected along a cobble and sandy habitat from near the shore of Flint Creek (Fig. 1). We estimate an aggregation of over 500 bugs were in and among this habitat.

Boisea trivittata is a scentless plant bug that feeds mainly on the seeds of maple (*Acer* spp.) and soapberry (*Sapindus saponaria*) trees and are occasionally an urban nuisance pest around homes. An on-line image search for "*Boisea trivittata*" will yield multiple and very nice color photos of the species; thus, we do not include an image here.

In North America, *B. trivittata* is native to most of

Figure 1. Collection site at Flint Creek (FC) where a large aggregate of *Boisea trivittata* was encountered. A. GoogleEarth aerial view of shoreline (arrow). B. Ground view of site looking southwest showing cobble and sand on shoreline (arrow).

the continental United States and Canada, excluding the very western parts (Fig. 2). Although a photograph and note about this species is posted on the University of Arkansas Arthropod Museum website (see <http://www.uark.edu/ua/arthemuse/boxbug.html>), insofar as we were able to determine, we provide the first literature record for *B. trivittata* in Arkansas.

The Eastern Boxelder Bug in Arkansas

A tabulation of literature geographic distribution records for *B. trivittata* (Fig. 2) includes 39 records, 35 in the USA and four records in Canada as follows: Alabama, Arizona, **Arkansas (Confirmation Record)**, Colorado, Connecticut, Florida, Illinois, Indiana, Iowa, Kansas, Minnesota, Nebraska, New Hampshire, New Jersey, New Mexico, New York, North Carolina, North Dakota, Ohio, Oklahoma, Maryland, Massachusetts, Michigan, Mississippi, Missouri, Montana, Pennsylvania, Rhode Island, South Dakota, Tennessee, Texas, Utah, Virginia, West Virginia, Wisconsin. *Canada*: Alberta, Manitoba, Ontario, Saskatchewan.

Figure 2. Distribution map of *Boisea trivittata* north of Mexico. Light shading (previous records); dark shading (confirmation record).

Acknowledgments

The Arkansas Game and Fish Commission issued a Scientific Collecting Permit to CTM.

Literature Cited

- Brimley CS.** 1938. The insects of North Carolina, being a list of insects of North Carolina and their close relatives. Raleigh (NC): North Carolina Department of Agriculture, Division of Entomology. 560 p.
- Chordas SW III, HW Robison, EG Chapman, BG Crump and PW Kovarik.** 2005. Fifty-four state records of true bugs (Hemiptera: Heteroptera) from Arkansas. *Journal of the Arkansas Academy of Science* 59:43-50.
- Chordas SW III, CT McAllister and HW Robison.** 2014. The introduced dirt-colored seed bug, *Megalonotus sabulicola* (Hemiptera: Rhyparochromidae): New for Arkansas. *Journal of the Arkansas Academy of Science* 68:135-136.
- Grimnes KA, D Miller and AJ Wyman.** 2003. Egg production in the Boxelder Bug *Boisea trivittata* (Hemiptera: Rhopalidae). *Great Lakes Entomologist* 36:160-165.
- Henry TJ and RC Froeschner.** 1988. Catalog of the Heteroptera, or true bugs, of Canada and the continental US. New York (NY): E. J. Brill. 958 p.
- Maw HEL, RG Footitt, KGA Hamilton and GGE Scudder.** 2000. Checklist of the Hemiptera of Canada and Alaska. Ottawa, Ontario (Canada): NRC Research Press. 220 p.
- Palazzo MC and WN Setzer.** 2009. Monoterpene hydrocarbons may serve as antipredation defense compounds in *Boisea trivittata*, the boxelder bug. *Natural Product Communications* 4:457-459.