

Journal of the Arkansas Academy of Science

Volume 39

Article 10

1985

A Check-list of the Spiders of Arkansas

Peggy Rae Dorris

Henderson State University

Follow this and additional works at: <https://scholarworks.uark.edu/jaas>



Part of the Zoology Commons

Recommended Citation

Dorris, Peggy Rae (1985) "A Check-list of the Spiders of Arkansas," *Journal of the Arkansas Academy of Science*: Vol. 39, Article 10.

Available at: <https://scholarworks.uark.edu/jaas/vol39/iss1/10>

This article is available for use under the Creative Commons license: Attribution-NoDerivatives 4.0 International (CC BY-ND 4.0). Users are able to read, download, copy, print, distribute, search, link to the full texts of these articles, or use them for any other lawful purpose, without asking prior permission from the publisher or the author.

This Article is brought to you for free and open access by ScholarWorks@UARK. It has been accepted for inclusion in Journal of the Arkansas Academy of Science by an authorized editor of ScholarWorks@UARK. For more information, please contact scholar@uark.edu, uarepos@uark.edu.

A CHECK-LIST OF THE SPIDERS OF ARKANSAS

PEGGY RAE DORRIS
Henderson State University
Arkadelphia, AR 71923

ABSTRACT

Collections of spiders were made from 1966, to the present in the six physiographic regions of Arkansas. During this time 435 species representing 35 families were collected and recorded.

INTRODUCTION

Research has been in progress for the past 18 years to provide a checklist of Arkansas spiders. Dorris (1968, 1969, 1970, 1971, 1972, 1980); Dorris and Burnside (1977); Beck and Dorris (1983); and Dorris and Saugey (1983); made numerous studies in an effort to cover the major physiographic regions of the state. Whitecomb, Exline, and Hite (1963); Whitcomb and Tadic (1963); Whitcomb and Bell (1964); and Warren, Peck, and Tadic (1967) made arthropod studies in agricultural habitats of the Ozark Mountain Area. Heiss (1977) collected specimens from pit traps located in two counties of the Ozark Mountain Area.

The six physiographic regions of Arkansas as defined by the Environmental and Conservation office of the Department of Education, show significant ecological differences with habitat diversity including mountains, upland hardwoods, bottomland hardwoods, loblolly-shortleaf pine, cedar glade, upland prairie, to caves.

The purpose of this lengthy study has been to determine the spider fauna of Arkansas. It is the authors opinion that at least 90% of the species have been identified, while recognizing that an ecological study of this scope can rarely be definitive.

METHODS AND MATERIALS

Several methods and types of instrumentation for collecting were used. They were (a) heavy duty sweep net in grasses and heavy brush, (b) wire mesh for leaf litter, (c) chopping bark from trees, (d) hand picking from bushes, ground and old dwellings and other related places, (e) mud-dauber nest collections to reveal paralyzed spiders captured by mud-daubers, (f) night spot-lighting. Pit traps were used extensively in Drew County and Heiss (1977) also employed this sampling technique. Collections from other institutions such as University of Arkansas at Fayetteville and L.S.U. at Baton Rouge were examined.

Most of the collections were made between the hours of 9 A.M. and 5 P.M. The specimens were preserved in screw cap vials containing 75% ethyl alcohol.

In all physiographic regions 8-10 check stations were set up across the whole region so that coverage of the various habitats could be assured.


Names used are those employed by Kaston and Kaston (1972), Gertsch (1974), and Comstock (1982). Species are listed alphabetically. The arrangement followed is that of Kaston (1948, 1978). Other literature used for identification of specimens included: Archer (1951), Brady (1964, 1969), Bell (1967), Bowling and Sauer (1975), Carico and Holt (1964), Dondale (1961), Dondale and Redner (1968), Emerton (1961), Exline (1938, 1962), Exline and Levi (1962), Gertsch (1934, 1949, 1953, 1979), Ivie (1969), Kaston (1973), Peck (1966, 1981), Peck and Peck (1982), Rapp (1980), and Sauer and Platnick (1972).

RESULTS AND DISCUSSION

Four hundred thirty-five species representing 35 families were collected from the following habitat types: forests, mixed deciduous and pine forests, buildings, inhabited dwellings, abandoned dwellings, barns and other out buildings, caves, mine tunnels, roadsides, bare ground,

mixed grasses, fields of mixed grasses, shrubs, herbs, mud-dauber nests, and water surfaces. The number of specimens decreased as temperature and humidity increased.

Figure 1, Pell (1983), represents the six physiographic regions covered in this study. It is the belief of this author that at least 90% of the spider fauna of Arkansas has been identified. The Arkansas spider checklist of species follows and common names are employed where known.



1 OZARK MOUNTAINS NATURAL DIVISION

- 1a Salem Plateau Subdivision
- 1b Springfield Plateau Subdivision
- 1c Boston Mountains Subdivision

2 ARKANSAS VALLEY NATURAL DIVISION

- 3 OUACHITA MOUNTAINS NATURAL DIVISION
- 3a Fourche Mountains Subdivision
- 3b Central Ouachita Mountains Subdivision
- 3c Athens Piedmont Plateau Subdivision

4 WEST GULF COASTAL PLAIN NATURAL DIVISION

- 4a Southwestern Arkansas
- 4b Southcentral Arkansas

5 MISSISSIPPI ALLUVIAL PLAIN NATURAL DIVISION

- 5a Bottomlands Subdivision
- 5b Loessial Plains Subdivision

6 CROWLEY'S RIDGE NATURAL DIVISION

Figure 1. Natural Divisions of Arkansas

Peggy Rae Dorris

A CHECKLIST OF THE SPIDERS OF ARKANSAS

ANTRODIAETIDAE Folding-door trap-door spiders

Antrodiætus unicolor (Hentz)

THERAPHOSIDAE "Ordinary" tarantulas

Dugesiella hentzi (Girard)

CTENIZIDAE Trap-door spiders

Bothriocyrtum californicum (O. P. Cambridge)*Ummidia audouini* (Lucas) Common trap-door spider

FILISTATIDAE

Filistata hibernalis Hentz Brown house spider

OECOBIIDAE

Oecobius annulipes Lucas*Oecobius cellariorum* (Duges)*Oecobius texanus* Bryant

ULOBORIDAE

Hyptiotes cavatus (Hentz) Triangle spider*Uloborus diversus* Marx*Uloborus glomosus* (Walckenaer) Feather-legged spider

DICTYNIDAE

Dictyna annulipes (Blackwall)*Dictyna bicornis* (Emerton)*Dictyna hentzi* Kaston*Dictyna segregata* Gertsch & Mulaik*Dictyna volucripes* Keyserling*Lathys pallida* (Marx)

AMAUBIIDAE White-eyed spiders

Amaurobius bennetti (Blackwall)*Amaurobius ferox* (Walckenaer)*Callioplus tibialis* (Emerton)*Titanoeca americana* Emerton

SCYTODIDAE Spitting spiders

Scytodes thoracica (Latreille)*Scytodes perfecta* Banks

LOXOSCELIDAE

Loxosceles reclusa Gertsch & Mulaik Brown recluse-

Violin spider

Loxosceles rufescens (Dufour)

LEPTONETIDAE

Leptoneta arkansa Gertsch

SEGESTRIIDAE

Ariadna bicolor (Hentz)

PHOLCIDAE Cellar spiders

Pholcus phalangioides (Fuesslin) Long-bodied cellar spiders*Sternophora meridionalis* Hentz Short-bodied cellar spiders

THERIDIIDAE Comb-footed spiders

Achaearanea globosa (Hentz)*Achaearanea porteri* (Banks)*Achaearanea tepidariorum* (C. L. Koch) House spider-

Domestic spider

Argyrodes trigonum (Hentz)*Anelosimus textrix* (Walckenaer)*Conopistha rufa* (Walckenaer)*Conopistha trigona* (Hentz)*Ctenium riparius* (Keyserling)*Dipoena nigra* (Emerton)*Diopena buccalis* Keyserling*Euryopis limbata* (Walckenaer)*Euryopis funebris* (Hentz)*Latrodectus geometricus* C. L. Koch*Latrodectus hasselti* Thorel*Latrodectus hesperus* Chamberlin & Ivie*Latrodectus mactans* (Fabricius) Black widow*Latrodectus variolus* (Walckenaer)*Rhomphaea lacerta* (Walckenaer)*Spintharus flavidus* Hentz*Steatoda palmaria* Chamberlin & Ivie*Steatoda triangulosa* (Walckenaer)*Teutana triangulosa* (Walckenaer)*Theridula opulenta* (Walckenaer)*Theridula emertoni* (Levi)*Theridion australe* Banks*Theridion differens* Emerton*Theridion flavonotatum* Becker*Theridion frondeum* Hentz*Theridion intervallatum* Emerton*Theridion murarium* Emerton*Theridion neshamini* Levi*Theridion rabuni* Chamberlin & Ivie*Theridion tinctum* Walckenaer*Tidarren sisypoides* (Walckenaer)*Ulesanis americana* Emerton

NESTICIDAE

Eidmannella pallida (Emerton)

LINYPHIIDAE

Florinda coccinea (Hentz)*Frontinella pyramitela* (Walckenaer) Bowl & doily spider*Leptophantes nebulosa* (Keyserling)*Meioneta fabra* (Keyserling)*Meioneta meridionalis* Crosby & Bishop*Meioneta micaria* Emerton*Porrhomma cavernicolum* Keyserling*Prolynchia maculata* Emerton*Prolynchia marginata* (C. L. Koch)

MICRYPHANTIDAE

Ceraticelus creolus Chamberlin*Ceraticelus similis* (Banks)*Eperigone maculata* (Banks)*Eperigone tridentata* (Emerton)*Eperigone trilobata* (Emerton)*Erigone autumnalis* Emerton*Gonatium rubens* (Blackwall)*Grammonota inornata* Emerton*Grammonota maculata* Banks*Grammonota texana* (Banks)*Walckenaera spiralis* (Emerton)*Walckenaera vigilax* (Blackwall)

THERIDIOSOMATIDAE Ray spiders

Theridiosoma radiosa (McCook) Ray spider

ARANEIDAE Typical orb weavers

Acacesia hamata (Hentz)*Acanthepeira moesta* Comstock*Acanthepeira stellata* (Marx) Star-bellied spider*Acanthepeira vanusta* (Banks)*Araneus cavaticus* (Keyserling)*Araneus cingulatus* (Walckenaer)*Araneus gemma* (McCook)*Araneus frondosa* (Linnaeus) Foliate spider*Araneus guttulatus* (Walckenaer)*Araneus juniperi* (Emerton)*Araneus marmoreus* Clerck Marbled spider*Araneus miniatus* (Walckenaer)*Araneus nordmanni* (Thorell)*Araneus partitus* (Walckenaer)*Araneus thaddeus* (Hentz)*Araniella displicata* (Hentz)*Argiope aurantis* Lucas Black & yellow garden spider-

Writing spider

Argiope trifasciata (Forskal) Banded garden spider*Conopeira ozarkensis* Archer*Cyclosa bifurca* (Hentz)*Cyclosa conica* (Pallas)*Cyclosa turbinata* (Walckenaer)*Epeira cornuta* (Clerck)*Eustala anastera* (Walckenaer)*Eustala arkansana* Archer*Eustala cepina* (Walckenaer)*Gasteracantha elipsoides* (Walckenaer) Spiny-bellied orb

weaver

Gea Heptagon (Hentz)

A Check-List of the Spiders of Arkansas

<i>Glyptocranium bisaccatum</i> Comstock	<i>Lycosa aspersa</i> Hentz
<i>Larinia directa</i> (Hentz)	<i>Lycosa gulosa</i> Walckenaer
<i>Leucauge venusta</i> (Walckenaer)	<i>Lycosa avara</i> (Keyserling)
<i>Mangora gibberosa</i> (Hentz)	<i>Lycosa frondicola</i> Emerton
<i>Mangora maculata</i> (Keyserling)	<i>Lycosa carolinensis</i> Walckenaer
<i>Mangora placida</i> (Hentz)	<i>Lycosa baltimoreana</i> (Keyserling)
<i>Mecynogeia lemniscata</i> (Walckenaer) Basilica spider	<i>Lycosa helluo</i> Walckenaer
<i>Meta menardi</i> (Latreille) Cave orb weaver	<i>Lycosa var. annexa</i>
<i>Metepeira labyrinthica</i> (Hentz)	<i>Lycosa lenta</i> Hentz
<i>Micrathena gracilis</i> (Walckenaer) Spiny-bellied orb weaver	<i>Lycosa modesta</i> (Keyserling)
<i>Micrathena sagittata</i> (Walckenaer) Spiny-bellied orb weaver	<i>Lycosa punctulata</i> (Hentz)
<i>Neoscona arabesca</i> (Walckenaer)	<i>Lycosa rabida</i> Walckenaer
<i>Neoscona domiciliorum</i> (Hentz)	<i>Pardosa banksi</i> Chamberlin
<i>Neoscona minima</i> O. P. Cambridge	<i>Pardosa distincta</i> (Blackwall)
<i>Neoscona pratensis</i> (Hentz)	<i>Pardosa floridana</i> Banks
<i>Neoscona sacra</i> (Walckenaer)	<i>Pardosa lapidicina</i> Emerton
<i>Neosconella pugnax</i> (Walckenaer)	<i>Pardosa milvina</i> (Hentz)
<i>Nephila clavipes</i> (Linnaeus) Foliate spider	<i>Pardosa moesta</i> Banks
<i>Nuctenea cornuta</i> (Clerck) Furrow spider	<i>Pardosa pauxilla</i> Montgomery
<i>Nuctenea sericata</i> (Clerck) Bridge spider-Gray cross spider	<i>Pardosa pullata</i> (Clerck)
<i>Singa Keyserling</i> McCook	<i>Pardosa saxatilis</i> (Hentz)
<i>Verrucosa arenata</i> (Walckenaer)	<i>Pardosa saxatilis</i> var. <i>atlantica</i>
<i>Wixia ectypa</i> (Walckenaer)	<i>Pardosa sternalis</i> (Thorell)
TETRAGNATHIDAE	<i>Pardosa utahensis</i> Chamberlin
<i>Leucauge venusta</i> (Walckenaer) Orchard spider	<i>Pirata alachua</i> Gertsch & Wallace
<i>Mimognatha foxi</i> (McCook)	<i>Pirata apalacheus</i> Gertsch
<i>Pachygnatha tristriata</i> C. L. Koch Thick-jawed orb weaver	<i>Pirata insularis</i> Emerton
<i>Tetragnatha elongata</i> Walckenaer Long-jawed orb weaver	<i>Pirata minutus</i> Emerton
<i>Tetragnatha laboriosa</i> Hentz	<i>Pirata piratica</i> (Clerck)
<i>Tetragnatha seneca</i> Seeley	<i>Pirata sedentarius</i> Montgomery
<i>Tetragnatha straminea</i> Emerton	<i>Pirata suwaneus</i> Gertsch
<i>Tetragnatha versicolor</i> Walckenaer	<i>Pirata sylvanus</i> Chamberlin
AGELENIDAE Funnel-web weavers	<i>Schizocosa avida</i> (Walckenaer)
<i>Agelenopsis emertoni</i> Chamberlin & Ivie	<i>Schizocosa bilineata</i> (Emerton)
<i>Agelenopsis naevia</i> (Walckenaer)	<i>Schizocosa crassipes</i> (Walckenaer)
<i>Agelenopsis pennsylvanica</i> (C. L. Koch)	<i>Schizocosa ocreata</i> (Hentz)
<i>Agelenopsis potteri</i> (Blackwall)	<i>Schizocosa retrorsa</i> (Banks)
<i>Circurina arcuata</i> Keyserling	<i>Tarentula accentuata</i> (Latreille)
<i>Circurina bryantae</i> Exline	<i>Tarentula aculeata</i> (Clercke)
<i>Circurina davisii</i> Exline	<i>Tarentula kochi</i> Keyserling
<i>Circurina robusta</i> Simon	<i>Trabea aurantiaca</i> (Emerton)
<i>Circurina teresa</i> Simon	<i>Trochosa acompta</i> (Chamberlin)
<i>Coras medicinalis</i> (Hentz)	<i>Trochosa avara</i> Keyserling
<i>Coras montanus</i> Emerton	OXYOPIDAE Lynx spiders
HAHNIIDAE	<i>Hamataliwa hilia</i> Brady
<i>Hahnia cinerea</i> Emerton	<i>Oxyopes acleistus</i> Chamberlin
<i>Neoantisteia agilis</i> Keyserling	<i>Oxyopes aglossus</i> Chamberlin
<i>Neoantisteia riparia</i> (Keyserling)	<i>Oxyopes helius</i> Chamberlin
MIMETIDAE	<i>Oxyopes salticus</i> Hentz
<i>Ero furcata</i> (Villers)	<i>Oxyopes scalaris</i> Hentz
<i>Mimetus epeiroides</i> Emerton	<i>Peucetia veridans</i> (Hentz) Green Lynx
<i>Mimetus intersector</i> Hentz	GNAPHOSIDAE Ground spiders
<i>Mimetus puritanus</i> Chamberlin	<i>Callilepis imbecilla</i> (Keyserling)
PISAURIDAE Nursery-web spiders	<i>Callilepis pluto</i> Banks
<i>Dolomedes scriptus</i> Hentz Fishing spider	<i>Cesonia bilineata</i> (Hentz)
<i>Dolomedes tenebrosus</i> Hentz Fishing spider	<i>Drassodes auriculoides</i> Barrows
<i>Dolomedes triton</i> (Walckenaer) Fishing spider	<i>Drassodes hypocrita</i> Simon
<i>Dolomedes vittatus</i> (Walckenaer) Fishing spider	<i>Drassodes neglectus</i> (Keyserling)
<i>Pelopatis undulata</i> (Keyserling)	<i>Drassyllus aprilinus</i> (Banks)
<i>Pisaurina mira</i> (Walckenaer)	<i>Drassyllus covensis</i> Exline
<i>Pisaurina mirabilis</i> (Clerck)	<i>Drassyllus creolus</i> Chamberlin & Gertsch
<i>Tinus peregrinus</i> (Bishop)	<i>Drassyllus depressus</i> (Emerton)
LYCOSIDAE Wolf spiders	<i>Drassyllus dixinus</i> Chamberlin
<i>Allocosa funerea</i> (Hentz)	<i>Drassyllus fallens</i> Chamberlin
<i>Arctosa emertoni</i> Gertsch	<i>Drassyllus femoralis</i> Banks
<i>Arctosa littoralis</i> (Hentz)	<i>Drassyllus mephisto</i> Chamberlin
<i>Arctosa sublata</i> (Montgomery)	<i>Drassyllus socius</i> Chamberlin
<i>Arctosa virgo</i> (Chamberlin)	<i>Drassyllus virginianus</i> Chamberlin
<i>Lycosa annexa</i> (Chamberlin & Ivie)	<i>Geodrassus phanus</i> Chamberlin
<i>Lycosa antelucana</i> Montgomery	<i>Gnaphosa muscorum</i> (L. Koch)

Peggy Rae Dorris

- Gnaphosa sericata* (L. Koch)
Haplodrassus signifer (C. L. Koch)
Herpyllus ecclesiasticus Hentz Parson spider
Litophillus rupicolens Chamberlin
Peocilochroa capulata (Walckenaer)
Peocilochroa fumulus (Chamberlin)
Rachodrassus echinus Chamberlin
Rachodrassus exlineae Platnick & Shadak
Sergiolus capulatus (Walckenaer)
Sergiolus famulus Chamberlin
Sostichus insularis (Banks)
Strotarchus piscatoria (Hentz)
Zelotes duplex (Chamberlin)
Zelotes hentzi (Barrows)
Zelotes laccus (Barrows)
Zelotes rusticus (L. Koch)
- CLUBIONIDAE** Foliage spiders
Agroeca pratensis Emerton
Castianera amoena (C. L. Koch)
Castianera cingulata (C. L. Koch)
Castianera descripta (Hentz)
Castianera gertschi Kaston
Castianera longipalpus (Hentz)
Castianera trilineata (Hentz)
Castianeira variata Gertsch
Castianeira vulnerea Gertsch
Chiracanthium erraticum (Walckenaer)
Chiracanthium inclusum (Hentz)
Clubiona abbotii L. Koch
Clubiona excepta Koch
Clubiona catawba Gertsch
Clubiona johnsoni Gertsch
Clubiona moesta Banks
Clubiona obesa Banks
Clubiona pallens Hentz
Clubiona putris Koch
Clubiona riparia Koch
Clubiona saltitans Emerton
Marcellina piscatoria (Hentz)
Meriola decepta Banks
Micaria aurata (Hentz)
Micaria longipes Emerton
Micaria vinnula Gertsch
Phrurotimpus alarius (Hentz)
Phrurotimpus borealis (Emerton)
Phrurotimpus formica Banks
Phrurotimpus illudens (Gertsch)
Scotinella formica L. Koch
Scotinella fratella (Gertsch)
Scotinella pallida Banks
Scotinella redempta Gertsch
Strotarchus piscatorius (Hentz)
Trachelas laticeps Bryant
Trachelas similis Cambridge
Trachelas tranquillus (Hentz)
- ANYPHAENIDAE**
Anyphaena celer (Hentz)
Anyphaena fragilis Banks
Anyphaena maculata (Banks)
Aysha gracilis (Hentz)
Aysha velox (Becker)
Wulfila saltabunda (Hentz)
- ZORIDAE**
Zora pumilus (Hentz)
- CTENIDAE**
Anahita animosa (Walckenaer)
Ctenus exlineae Peck
Ctenus hibernalis (Hentz)
- THOMISIDAE** Crab spiders
Coriarachne floridana Banks
- Coriarachne lenta* (Walckenaer)
Coriarachne versicolor Keyserling
Misumena vatia (Clerck) Flower spider; Goldenrod spider
Misumenops asperatus (Hentz)
Misumenops celere (Hentz)
Misumenops deserti Schick
Misumenoides formosipes (Walckenaer)
Misumenops oblongus (Keyserling)
Oxyptila conspurcata Thorell
Oxyptila modesta (Scheffer)
Oxyptila monroensis Keyserling
Synema parvula (Hentz)
Tmarus angulatus (Walckenaer)
Xysticus auctificus Keyserling
Xysticus bicuspis Keyserling
Xysticus cunctator Thorell
Xysticus elegans Keyserling
Xysticus ferox (Hentz)
Xysticus fraternus Banks
Xysticus gulosus Keyserling
Xysticus montanensis Keyserling
Xysticus nervosus (Emerton)
Xysticus punctatus Keyserling
Xysticus texanus Banks
Xysticus triguttatus Keyserling
Xysticus transversatus (Walckenaer)
Xysticus tumefactus (Walckenaer)
Xysticus ulmi (Hahn)
- PHILODROMIDAE** Running crab spiders
Ebo latithorax Keyserling
Ebo punctatus Schick
Philodromus abbotii
Philodromus aureolus (Oliver)
Philodromus imbecillus Keyserling
Philodromus keyserlingi Marx
Philodromus laticeps Keyserling
Philodromus marxi Keyserling
Philodromus pernix Blackwall
Philodromus placidus Banks
Philodromus rufus Walckenaer
Philodromus satullus Keyserling
Philodromus vulgaris Hentz
Thanatus formicinus (Clerck)
Thanatus lysooides (Clerck)
Thanatus rubicellus Mello-Leitao
Thanatus vulgaris Simon
Tmarus angulatus (Walckenaer)
Tibellus duttoni (Hentz)
Tibellus ablanguis (Walckenaer)
- SALTICIDAE** Jumping spiders
Agassa cerulea (Walckenaer)
Ballus youngii G. & E. Peckham
Corythalia aurata (Hentz)
Eris aurantia (Lucas)
Eris marginata (Walckenaer)
Eris pineus (Kaston)
Evarcha hoyi (G. & E. Peckham)
Habrocestum parvulum (Banks)
Habrocestum pulex (Hentz)
Habronattus borealis (Banks)
Habronattus coronatus (Hentz)
Habronattus decorus (Blackwall)
Habronattus paykulli (Audouin)
Habronattus viridipes (Hentz)
Hentzia mittrata (Hentz)
Icius elegans Emerton
Icius hartii Emerton
Icius vitis (Cockerell)
Maevia inclemens (Walckenaer)

A Check-List of the Spiders of Arkansas

- Marpissa lineata* (C. L. Koch)
Marpissa pikei (G. & E. Peckham)
Metacyrba taeniola (Hentz)
Metacyrba undata (DeGreer)
Metaphidippus canadensis (Banks)
Metaphidippus exiguus (Banks)
Metaphidippus flaviceps Kaston
Metaphidippus flavipedes (Peckham)
Metaphidippus galathea (Walckenaer)
Metaphidippus insignis (Banks)
Metaphidippus proterus (Walckenaer)
Metaphidippus sexmaculatus (Banks)
Myrmarachne hentzi Banks
Neon nellii Peckham
Paraphidippus marginatus (Walckenaer)
Paraphidippus arantius (Kaston)
Peckhamia picata (Hentz)
Phidippus apacheanus Chamberlin & Gertsch
Phidippus audax (Hentz)
Phidippus carolinensis Peckham & Peckham
Phidippus hirsutus Barrows
Phidippus incertus Peckham
Phidippus insignarius C. L. Koch
Phidippus insolens Peckham
Phidippus mccookii Peckham
Phidippus mystaceus Emerton
Phidippus opifex (McCook)
Phidippus otiosus Peckham
Phidippus princeps (Peckham)
Phidippus purpuratus Keyserling
Phidippus putmanii (Peckham)
Phidippus rimator (Walckenaer)
Phidippus variegatus (Lucas)
Phidippus whitmani Peckham
Phlegra fasciata (Hahn)
Salticus scenicus (Linnaeus)
Sarinda hentzi (Banks)
Sassacus papenhoei G. & E. Peckham
Sitticus floricoles (C. L. Koch)
Sitticus floridanus Gertsch & Mulaik
Sitticus palustris G. & E. Peckham
Synemosyna lunata (Walckenaer)
Talavera minuta (Banks)
Thiodina iniquies (Walckenaer)
Thiodina puerpera (Hentz)
Tutelina similis (Banks)
Zygoballus bettini G. & E. Peckham
Zygoballus nervosus (Peckham)
Zygoballus sexpunctatus (Hentz)
- LYSSOMANIDAE**
Lyssomanes viridis (Walckenaer)

ACKNOWLEDGMENT

Appreciation is expressed to Henderson State University and to the Research Committee for providing time, space, equipment and financial assistance to make this 18 year survey possible. I also express gratitude to my friends, relatives, students, and colleagues who contributed to this study.

LITERATURE CITED

- ARCHER, A. 1951. Studies in the orbweaving spiders (Argiopidae) Am. Mus. Novit. 1487:1-52.
- BECK, M., and P. DORRIS. 1983. Twenty-two new species of spiders for the Arkansas checklist. Proc. Ark. Acad. Sci. 37:78.
- BRADY, A. 1964. The lynx spiders of North America, north of Mexico (Araneae: Oxyopidae). Bull. Mus. Comp. Zool. 131:430-518.
- BRADY, A. 1969. A reconsideration of the *Oxyopes apollo* species group with the descriptions of two new species (Araneae: Oxyopidae). Psyche. 76:416-438.
- BELL, K. 1967. The bollworm-tobacco budworm problem in Arkansas and Louisiana. Ark. Agri. Exp. Sta. Bull. 720:1-66.
- BOWLING, T., and R. SAUER. 1975. A taxonomic revision of the crab spiders genus *Coriarachne* (Araneae: Thomisidae) for North America north of Mexico. J. Arachnol. 2:183-193.
- CARICO, J., and P. HOLT. 1964. A comparative study of the female copulatory apparatus of certain species in the spider genus *Dolomedes* (Araneae: Pisauridae). Agri. Exp. Sta. Va. 172:1-27.
- COMSTOCK, J. 1982. The spider book. Comstock Publ. Co., Ithaca, N.Y. 729 pp.
- DONDALE, C. 1961. Revision of the *aureolus* group of the genus *Philodromus* (Araneae: Thomisidae) in North America. Can. Entomol. 93:199-222.
- DONDALE, C., and J. REDVER. 1968. The *Imbecillus* and *Rufus* groups of the spider genus *Philodromus* in North America (Araneae: Thomisidae). Can. Entomol. Soc. 55:1-78.
- DORRIS, P. 1968. A preliminary study of the spiders of Clark County, Arkansas compared with a five year study of Mississippi spiders. Proc. Ark. Acad. Sci. 22:33-37.
- DORRIS, P. 1969. Spiders collected from mud-dauber nests in Clark County, Arkansas. Proc. Ark. Acad. Sci. 23:88-90.
- DORRIS, P. 1970. Observations on the impact of certain insecticides on spider populations in a cotton field. Proc. Ark. Acad. Sci. 24:53-54.
- DORRIS, P. 1972. A checklist of spiders collected in Mississippi compared with a preliminary study of Arkansas spiders. Proc. Ark. Acad. Sci. 26:83-86.
- DORRIS, P., and F. BURNSIDE. 1977. A continuation of spider research in Arkansas: Ouachita Mountain Area. Proc. Ark. Acad. Sci. 31:114-116.
- DORRIS, P. 1980. A continuation of spider research in Arkansas: Gulf Coastal Plains. Proc. Ark. Acad. Sci. 34:108-112.
- DORRIS, P., and D. SAUGFY. 1983. Spiders collected from abandoned mine tunnels in the Ouachita National Forest. Proc. Ark. Acad. Sci. 37:81.
- EASON, R., W. PECK, and W. WHITCOMB. 1967. Notes on spider parasites, including a reference list. J. Kan. Entomol. Soc. 40:422-434.
- EMERTON, J. 1961. The common spiders of the United States. Dover Publ. New York, N.Y. 227 pp.
- EXLINE, H. 1938. The Araneida of Washington: Agelenidae and Hahniidae. Univ. Wash. Publ. 9:1-44.
- EXLINE, H. 1962. Two gnaphosid spiders from Arkansas. Proc. Calif. Acad. Sci. 32:79-85.
- GERTSCH, W. 1934. Further notes on American spiders. Am. Mus. Novit. 726:1-26.

Peggy Rae Dorris

- GERTSCH, W. 1949. American spiders. D. Van Nostrand Co., Princeton, N.J. 285 pp.
- GERTSCH, W. 1953. The spider genera *Zysticus*, *Coriarachne*, and *Oxyptila* (Thomisidae: Misumeninae) in North America. Bull. Am. Mus. 102:413-482.
- GERTSCH, W. 1974. The spider family Leptonetidae in North America. J. Arachnol. 1:145-203.
- GERTSCH, W. 1979. American spiders. D. Van Nostrand Co., Princeton, N.J. 274 pp.
- HEISS, J. 1977. Faunal study of spiders collected from pitfall traps in Newton and Union County of Arkansas. Unpubl. M.S. thesis. Univ. of Ark., Fayetteville. 158 pp.
- IVIE, W. 1969. North American spiders of the genus *Bathyphantes* (Araneae: Linyphiidae). Bull. Am. Mus. 2364:1-70.
- KASTON, B., and E. KASTON. 1972. How to know the spiders. Wm. C. Brown Co., Dubuque, IA. 220 pp.
- KASTON, B. 1948. Spiders of Connecticut. Bull. 70. Pieper Publ. Co., Wallingford, CN. 874 pp.
- KASTON, B. 1973. Four new species of *Metaphidippus*, with notes of related jumping spiders (Araneac: Salticidae) from the eastern and central United States. Trans. Am. Microsc. Soc. 92:106-122.
- KASTON, B. 1978. How to know the spiders. Wm. C. Brown Co., Dubuque, IA. 272 pp.
- PECK, W. 1966. The population composition of a spider community in West Central Missouri. Am. Midl. Nat. 76:151-168.
- PECK, W. 1981. The Ctenidae of temperate zone North America. Bull. Am. Mus. Nat. Hist. 170:157-169.
- PECK, S., and J. PECK. 1982. Invertebrate fauna of Devil's Den, a zoogeographically important sandstone cave in northwestern Arkansas. Proc. Ark. Acad. Sci. 36:46-47.
- PELL, W. 1983. The natural divisions of Arkansas: A revised classification and description. Nat. Area Jour. 3:12-23.
- RAPP, W. 1980. A catalog of spiders of Nebraska. Novit. Arthrop. 1:1-39.
- SAUER, R., and N. PLATNICK. 1972. The crab spider genus *Ebo* (Araneae: Thomisidae) in the United States and Canada. Can. Entomol. Soc. 104:35-60.
- WARREN, L., and M. TADIC. 1967. Spiders associated with the fall webworm, *Hyphantria cunea*. J. Kan. Entomol. Soc. 40:382-395.
- WHITCOMB, W., H. EXLINE, and M. HITE. 1963. Comparison of spider populations of ground stratum in Arkansas pasture and adjacent cultivated field. Proc. Ark. Acad. Sci. 17:34-39.
- WHITCOMB, W., and M. TADIC. 1963. Araneida as predators of the fall webworm. J. Kan. Entomol. Soc. 36:186-190.
- WHITCOMB, W., and K. BELL. 1964. Predaceous insects, spiders, and mites of Arkansas cotton fields. Agri. Exp. Sta. Bull. 690:1-84.