

1981

Aquaculture Industry of Arkansas in 1979-1980

Donald H. Fiegel

Arkansas Game and Fish Commission

Mike Freeze

Arkansas Game and Fish Commission

Follow this and additional works at: <https://scholarworks.uark.edu/jaas>



Part of the [Aquaculture and Fisheries Commons](#)

Recommended Citation

Fiegel, Donald H. and Freeze, Mike (1981) "Aquaculture Industry of Arkansas in 1979-1980," *Journal of the Arkansas Academy of Science*: Vol. 35, Article 11.

Available at: <https://scholarworks.uark.edu/jaas/vol35/iss1/11>

This article is available for use under the Creative Commons license: Attribution-NoDerivatives 4.0 International (CC BY-ND 4.0). Users are able to read, download, copy, print, distribute, search, link to the full texts of these articles, or use them for any other lawful purpose, without asking prior permission from the publisher or the author.

This Article is brought to you for free and open access by ScholarWorks@UARK. It has been accepted for inclusion in *Journal of the Arkansas Academy of Science* by an authorized editor of ScholarWorks@UARK. For more information, please contact scholar@uark.edu, uarepos@uark.edu.

Journal of the Arkansas Academy of Science, Vol. 35 [1981], Art. 11
**THE AQUACULTURE INDUSTRY
 OF ARKANSAS IN 1979-1980**

DONALD H. FIEGEL and MIKE FREEZE
 Arkansas Game and Fish Commission
 Little Rock, Arkansas 72205

ABSTRACT

A survey of previous fish farmer certificate holders in Arkansas was conducted during 1979-1980 using renewal questionnaires, telephone conversations, and personal contacts. This survey was compared with similar surveys from preceding years. Approximately 51.0% of 12,372 intensively farmed hectares in 1979-80 were devoted to bait fish production, while 22.9% were utilized in food fish production. Acreage in bait fish, food fish, and fingerling production decreased from 1979 to 1980; however, price increases during this time resulted in a higher total value of the industry.

INTRODUCTION

In 1968, Meyer et al. conducted one of the first surveys on the commercial production of fishes in Arkansas. Since then, the fish farming industry has shifted from a "new industry" type growth (Meyer et al., 1971 and Bailey et al., 1974) and currently fluctuates according to supply and demand (Bailey et al., 1978). Changes in the industry have been monitored periodically during the last 13 years as part of the Commercial Fisheries Industry Survey, partially funded as a Public Law 88-309 Project by the National Marine Fisheries Service.

Since Arkansas is located in the middle of the fish belt (Hulseay, 1965), changes in fish production values for the state should reflect national trends in the warm water production of fish. The current survey documents the changes in the industry from 1 July 1976 to 30 June 1980.

METHODS AND MATERIALS

Each year the Arkansas Game and Fish Commission's Fiscal Division contacts previous fish farmer certificate holders by means of a renewal notice. In 1977, these notices also inquired about a production acreage of various fish species. Although answering the questions was not mandatory for certificate renewal, most applicants cooperated, listing the acreage of each fish species they planned to grow in 1979. A telephone survey was conducted during the summer of 1980 to verify the farmers' acreage estimates and to obtain further information on yields per acre and current market prices. When the farmer could not be contacted by phone, his 1979 projection was deemed valid and was used in calculating the total acreages in production.

An effort was made during this telephone survey to contact any applicant who had not responded to the renewal notice questions. When this attempt failed, the applicants were visited, when possible, by their district fisheries biologist. Fish farmers not contacted at all were not included in the survey. All values were obtained in English units, tabulated, and then converted to metric units. Yields per hectare and prices per kilogram represent weighted means calculated for those fish farmers reporting. Tables 2, 3, and 4 were modified after Henderson et al. (1978), Henderson and Wooldridge (1977) and Bailey et al. (1978), respectively.

RESULTS AND DISCUSSION

During 1979, 376 fish farms were licensed, 19 fewer farms than in 1978. Bait fishes were raised by 119 of the surveyed farmers, food fishes by 270 farmers, and fingerlings, ornamental exotics, and miscellaneous fishes by 50 farmers. Acreage and production values supplied by applicants are believed to be reasonably accurate by the authors.

Bait fish production accounts for 51.0% of the intensively farmed water in Arkansas (Table 1). Total area in bait fish production has been down since 1976-77 (Tables 3 and 4), except for an unusually large increase in 1977-78 (Table 3). The principle species raised for bait in order of importance continue to be the golden shiner (*Notemigonus crysoleucas*), fathead minnow (*Pimephales promelas*), and goldfish (*Carassius auratus*). Production of Israeli carp (*Cyprinus carpio*), the nearly scaleless variety of the common carp, was no longer intensively farmed for bait fish or vegetative control and was left out of the 1979-80 (Table 1) report.

Prices for the three major species of bait fishes have increased since 1976-77 as a result of inflationary pressures. The value of the bait fish industry has increased by 20.3% since 1976-77. The price

Table 1. Commercial fish production in Arkansas — 1 July 1979 to 30 June 1980.

| | Hectare | Kg./hectare | Total kg. | Price/Kg. | Total Value |
|---|---------|---------------------|----------------------|---------------------|--------------|
| Bait Fishes | | | | | |
| Golden Shiner | 6,402 | 428 | 2,722,736 | \$4.28 | \$11,557,979 |
| Fathead Minnow | 596 | 889 | 530,008 | 4.42 | 2,339,760 |
| Goldfish | 538 | 808 | 434,504 | 6.50 | 2,824,500 |
| Total | 7,536 | | 3,687,248 | | \$16,722,239 |
| Food Fishes | | | | | |
| Catfishes | 2,429 | 2,555 | 6,211,943 | \$1.43 | \$8,892,170 |
| Buffalofish | 264 | 1,523 | 402,200 | .46 | 275,500 |
| Buffalo (Polyculture with catfish) | 547 | 361 | 200,706 | 1.19 | 240,840 |
| Trout | 8 | 8,635 | 69,050 | 4.95 | 255,900 |
| Cage Reared Trout | --- | --- | 6,985 | 3.30 | 23,049 |
| Cage Reared Catfish | --- | --- | 44,365 | 1.43 | 63,734 |
| Tank and Raceway Trout | --- | --- | 45,450 | 4.40 | 200,100 |
| Extensive Farming¹ | | | | | |
| All Species | 2,402 | 1,306 | 4,076,207 | 1.32 | 5,388,270 |
| Fee Fishing (Intensive) | | | | | |
| Channel Catfish | 196 | 602 | 117,908 | 1.43 | 168,671 |
| Fee Fishing (Intensive) | | | | | |
| Trout | 4 | 13,476 | 66,006 | 4.40 | 291,200 |
| Fee Fishing (Semi-Intensive) ² | | | | | |
| All Species | --- | --- | --- | --- | 2,054 |
| Total Food Fish | 4,402 | | 11,042,829 | | \$16,514,733 |
| Ornamental Catfish | | | | | |
| Fingerlings and Miscellaneous | 57 | 1,605 | 90,495 | 30.80 | 844,100 |
| Largemouth Bass | | | | | |
| Largemouth Bass | 1 | 4,000 ³ | 17,000 ³ | \$1.26 ⁴ | \$21,420 |
| Catfish (Fingerlings) | 696 | 2,021 | 1,408,314 | 2.75 | 3,882,730 |
| White Amur | 83 | 674 | 49,286 | 6.30 | 310,300 |
| Crayfish (Blue) | 37 | 20,800 ⁵ | 769,900 ⁵ | .20 ⁶ | 153,980 |
| Total | 787 | | 1,655,400 | | \$4,211,430 |
| GRAND TOTAL | | | | | |
| | 15,396 | | 17,023,483 kg. | | \$37,743,774 |
| | | | | | 261,990 Fish |

¹ These fish should not be included when comparing intensive culture of 1980 to that of previous years.

² Fishes.

³ Fish.

⁴ Price/Fish.

used for goldfish was an average of the weighted means for feeder (aquaria) goldfish and trotline-sized goldfish, assuming an equal production ratio.

Food fishes were produced on 22.9% of the intensively farmed water in Arkansas (Table 1). Fish production was the primary concern for intensively farmed waters whereas it was of secondary importance in extensively farmed waters. Examples of the latter included private lakes, some free fishing lakes and irrigation reservoirs licensed as fish farms for various reasons and often only partially harvested. Food fishes were raised intensively and extensively on 43.6% of the total area devoted to fish farming in 1979-80. A wide species variety was present in extensively farmed ponds. Intensively farmed food fish species included the channel catfish (*Ictalurus punctatus*), blue catfish (*Ictalurus furcatus*), bigmouth buffalo (*Ictiobus cyprinellus*) and rainbow trout (*Salmo gairdneri*).

Intensive production of food fish has remained stable since 1976. The data collected (for 1980) agreed with data recorded in the U. S. Department of Agriculture's 1980 Aquaculture report.

Private cage culture operations that appeared so promising in 1975-76 (Bailey et al., 1978) have apparently suffered from mismanagement, financial problems and environmental conditions. While the weight of cage-produced trout has remained relatively stable since 1976-77 (Table 2, 3, & 4), it decreased 82% for 1979-80 (Table 1). The weight of cage-produced channel catfish decreased by 57.1% during 1978-79 and again during 1979-80 for a total of 67.2% from 1976-78 (Table 3 & 4).

Ornamental fish production increased 35.7% because one farmer switched from bait fish ponds to ornamentals. Catfish fingerling production varies from year to year as the farmers evaluate both their

Table 3. Commercial fish production in Arkansas — 1 July 1977 to 30 June 1978.

| | Hectare | Kg./Hectare | Total Kg. | Price/Kg. | Total Value |
|---------------------------------------|---------------|---------------------|-----------------------|---------------------|---------------------|
| Bait Fishes | | | | | |
| Sulphur Shiners | 2,067 | 392 | 3,770,784 | \$1.41 | \$12,086,306 |
| Fathead Minnow | 885 | 866 | 296,202 | 3.19 | 1,135,360 |
| Gulfstich | 668 | 1,136 | 107,843 | 8.51 | 2,379,065 |
| Juvenile Carp | 8 | 340 | 2,112 | 2.74 | 2,805 |
| Totals | 10,800 | | 4,796,942 | | \$16,606,799 |
| Food Fishes | | | | | |
| Catfish | 2,388 | 1,198 | 4,102,360 | \$1.50 | \$ 6,272,398 |
| Buffalo | 380 | 717 | 296,212 | .44 | 129,367 |
| Buffalo (Polyculture with Catfish) | 72 | 229 | 16,180 | .57 | 15,844 |
| Cage and Runaway Trout | --- | --- | 47,773 | 3.89 | 189,850 |
| Cage Catfish | --- | --- | 136,360 | 1.43 | 199,000 |
| Totals | 2,550 | | 4,207,408 | | \$ 6,796,799 |
| Ornamentals | | | | | |
| Fingerlings and Miscellaneous | 61 | 1,604 | 102,444 | \$8.00 | \$ 906,000 |
| Largemouth Bass | | | | | |
| Largemouth Bass | 4 | 1,884 ¹ | 40,200 ² | \$1.00 ³ | \$ 40,200 |
| Channel Catfish | 1,028 | 1,741 | 1,808,207 | \$2.86 | 4,354,488 |
| White Amur | 58 | 542 | 32,407 | 7.70 | 250,200 |
| White Amur and Silver Carp Fingerling | 22 | 1,123 | 24,343 | \$5.00 | \$ 121,700 |
| Crayfish (Blue) | 14 | 20,500 ¹ | 288,500 ² | .03 ³ | 8,200 |
| Totals | 1,127 | | 1,865,427 | | \$ 5,277,158 |
| | | | + 223,322 Fish | | |
| | | | + 221,322 Fish | | |
| GRAND TOTALS | 14,230 | | 11,296,519 Kg. | | \$47,390,753 |

¹ Fingerling
² Fish
³ Price/Fish

Table 2. Commercial fish production in Arkansas — 1 July 1978 to 30 June 1979.

| | Hectare | Kg./Hectare | Total Kg. | Price/Kg. | Total Value |
|--|---------------|---------------------|-----------------------|-------------------|---------------------|
| Bait Fishes | | | | | |
| Sulphur Shiner | 7,346 | 357 | 2,621,382 | \$1.81 | \$ 4,961,595 |
| Fathead Minnow | 1,023 | 445 | 463,914 | 3.05 | 1,780,426 |
| Gulfstich | 889 | 736 | 329,842 | 4.35 | 1,831,894 |
| Juvenile Carp | 11 | 337 | 4,077 | 2.20 | 8,960 |
| Totals | 8,649 | | 3,421,205 | | \$12,413,185 |
| Food Fishes | | | | | |
| Catfish | 2,615 | 2,550 | 6,680,593 | \$1.42 | \$ 9,594,204 |
| Buffalo | 372 | 1,179 | 438,570 | .58 | 264,537 |
| Buffalo (Polyculture with Catfish) | 187 | 410 | 244,031 | 1.19 | 290,722 |
| Trout | 8 | 3,989 | 46,680 | 4.20 | 200,720 |
| Cage Trout | --- | --- | 36,360 | 2.97 | 108,000 |
| Cage Catfish | --- | --- | 128,375 | 1.43 | 181,025 |
| Runaway Trout | --- | --- | 45,850 | 4.09 | 188,000 |
| Extensive Farming¹ | | | | | |
| All Species | 2,710 | 1,588 | 4,242,950 | \$1.32 | 5,733,287 |
| Fee Fishing (Intensive) | | | | | |
| Channel Catfish | 207 | 800 | 128,729 | 1.43 | 178,380 |
| Fee Fishing (Non-Intensive)² | | | | | |
| All Species | 580 | --- | --- | --- | 5,263 |
| Totals | 7,103 | | 12,137,279 | | \$16,883,793 |
| Ornamentals | | | | | |
| Fingerlings and Miscellaneous | 35 | 1,804 | 41,248 | \$4.00 | \$ 165,000 |
| Largemouth Bass | | | | | |
| Largemouth Bass | 1 | 8,884 ¹ | 12,000 ² | 1.00 ³ | \$ 12,000 |
| Catfish | 803 | 2,138 | 1,718,840 | 2.88 | 4,375,218 |
| White Amur | 20 | 618 | 19,209 | 7.70 | 147,000 |
| White Amur and Silver Carp | 16 | 1,123 | 18,180 | 6.60 | 120,000 |
| Trout Fingerlings | --- | --- | 1,364 | 6.80 | 9,000 |
| Crayfish | 12 | 20,500 ¹ | 298,500 ² | .03 ³ | 7,300 |
| Freemaster Shiner | 1 | 880 | 777 | 11.00 | 8,500 |
| Totals | 841 | | 1,746,250 | | \$ 4,274,318 |
| | | | + 283,980 Fish | | |
| | | | + 283,980 Fish | | |
| Grand Totals | 10,840 | | 17,375,881 Kg. | | \$21,711,336 |

¹ These totals should not be included when comparing intensive culture of 1979-1978 to that of previous years.
² Fingerling.
³ Fish
⁴ Price/Fish

demands and the economic needs of future markets. Production for 1979-80 decreased 13.3%. Therefore, a possible decrease in food catfish may occur next year.

The production of white amur as a weed control agent rose when Missouri lifted its import ban. Increased production area offset a decrease in price per kilogram causing an overall increase in total crop

Table 4. Commercial fish production in Arkansas — 1 July 1976 to 30 June 1977.

| | Hectare | Kg./Hectare | Total Kg. | Price/Kg. | Total Value |
|--|---------------|-------------|-----------------------|-----------|---------------------|
| Bait Fishes | | | | | |
| Sulphur Shiner | 7,279 | 430 | 3,130,860 | \$1.52 | \$11,021,760 |
| Fathead Minnow | 826 | 217 | 211,864 | 3.36 | 1,111,864 |
| Gulfstich | 388 | 623 | 238,180 | 3.48 | 734,060 |
| Totals | 8,549 | | 3,660,998 | | \$12,917,124 |
| Food Fishes | | | | | |
| Channel Catfish | 2,558 | 1,854 | 4,743,140 | \$1.32 | \$ 6,261,583 |
| Blue Catfish | 11 | 590 | 6,227 | 1.61 | 10,000 |
| Buffalo | 12 | 1,179 | 14,317 | .57 | 8,190 |
| Buffalo (Polyculture with Catfish) | --- | 410 | 55,131 | .82 | 34,000 |
| Trout | 3 | 3,615 | 10,140 | 3.38 | 40,000 |
| Cage Trout | --- | --- | 36,362 | 2.06 | 74,400 |
| Cage Catfish | --- | --- | 294,200 | 1.32 | 388,000 |
| Runaway Trout | --- | --- | 46,596 | 2.11 | 98,000 |
| Runaway Catfish | --- | --- | 2,945 | 1.10 | 2,250 |
| Extensive Farming | | | | | |
| All Species | 3,414 | 1,586 | 5,405,015 | 1.19 | 6,117,500 |
| Fee Fishing (Intensive) | | | | | |
| Channel Catfish | 36 | 402 | 57,884 | 1.96 | 112,000 |
| Fee Fishing (Non-Intensive)² | | | | | |
| All Species | 2 | 11,364 | 92,254 | \$1.17 | \$ 108,000 |
| Totals | 6,373 | | 10,807,220 | | \$13,976,222 |
| Ornamentals | | | | | |
| Fingerlings and Miscellaneous | 18 | 1,990 | 74,402 | \$10.80 | \$ 811,000 |
| Largemouth Bass | | | | | |
| Largemouth Bass | 1 | 9,888 | 12,000 | \$1.00 | \$ 12,000 |
| Channel Catfish | 349 | 84,291 | 29,404,500 | .09 | 2,875,000 |
| White Amur | 117 | 1,448 | 170,000 | 1.70 | 289,000 |
| Trout | --- | --- | 50,000 | .15 | 7,500 |
| Totals | 647 | | 29,586,500 | | \$ 3,199,500 |
| GRAND TOTALS | 14,175 | | 34,593,120 Kg. | | \$30,479,232 |
| | | | + 25,588,500 Fish | | |

value of 38.1%. With a favorable market and increased production cost, the value of white amur will continue to rise.

One hectare of freshwater shrimp (*Macrobrachium rosenbergii*) was raised experimentally by a fish farmer in 1978-79. This species was not raised in 1979-80 due to market demand and production costs. The only other crustacean cultured in Arkansas was the red swamp crayfish (*Procambarus clarkii*), which was raised on a limited basis for bait.

The fish farming industry of Arkansas appears to be relatively stable and capable of absorbing mild fluctuations in various production values over an extended time period. Although the industry may be stable, the problems of the past 20 years still confront the beginning fish farmer. Bailey et al. (1978) listed these problems as "nutrition, diseases, construction cost, water management, marketing, crop land allocation, and the large initial investment capital required." The fact that many fish farmers are able to overcome these problems is evidenced by the \$37.7 million 1979-80 total value of the industry in Arkansas.

LITERATURE CITED

- AQUACULTURE: CATFISH and TROUT, INVENTORY and SALES, 1980. Crop reporting board, economics and statistics service, U.S. Department of Agriculture, Statistical Bulletin 644.
- BAILEY, W. M., F. P. MEYER, J. M. MARTIN and D. L. GRAY. Farm fish production in Arkansas during 1972. Proc. Twenty-seventh Ann. Conf. S. E. Assoc. Game Fish Comm. 27:750-758.
- BAILEY, W. M., M. D. GIBSON, S. H. NEWTON, J. M. MARTIN and D. L. GRAY. 1978. Status of commercial aquaculture in Arkansas in 1975. Proc. Thirtieth Ann. Conf. S. E. Assoc. Game Fish Comm. 30:246-250.
- HENDERSON, S. and S. WOOLDRIDGE. 1977. Commercial fishery industry survey for Arkansas July 1, 1976 to June 30, 1977. Report to National Marine Fish. Serv., Proj. 2-243-R-3. Reproduced by Ark. Game and Fish Comm., Little Rock, AR. 23 pp.
- HENDERSON, S., D. BRADER and M. FREEZE. 1978. Commercial fishery industry survey for Arkansas July 1, 1977 to June 30, 1978. Report to National Marine Fish. Serv., Project 2-304-R-1. Reproduced by Arkansas Game and Fish Comm., Little Rock, AR. 21 pp.
- HULSEY, A. H. 1965. Trends in commercial fish farming practices in Arkansas. Proc. Eightieth Ann. Conf. S. E. Assoc. Game Fish Comm. 18:313-324.
- MEYER, F. P., D. L. GRAY, W. P. MATHIS, J. M. MARTIN and B. R. WELLS. 1968. Production and returns from the commercial production of fish in Arkansas during 1966. Proc. Twenty-fourth Ann. Conf. S. E. Assoc. Game Fish Comm. 21:525-531.
- MEYER, F. P., D. S. GODWIN, R. BOYD, J. M. MARTIN, D. L. GRAY and W. P. MATHIS. 1971. Fish production in Arkansas during 1969 as compared to other states. Proc. Twenty-fourth Ann. Conf. S. E. Assoc. of Game Fish Comm. 24:497-506.