

Journal of the Arkansas Academy of Science

Volume 24

Article 13

1970

Freshwater Algae of Arkansas II. New Additions

Richard L. Meyer

University of Arkansas, Fayetteville

James H. Wheeler

University of Arkansas, Fayetteville

J. R. Brewer

University of Arkansas, Fayetteville

Follow this and additional works at: <https://scholarworks.uark.edu/jaas>



Part of the [Terrestrial and Aquatic Ecology Commons](#)

Recommended Citation

Meyer, Richard L.; Wheeler, James H.; and Brewer, J. R. (1970) "Freshwater Algae of Arkansas II. New Additions," *Journal of the Arkansas Academy of Science*: Vol. 24, Article 13.

Available at: <https://scholarworks.uark.edu/jaas/vol24/iss1/13>

This article is available for use under the Creative Commons license: Attribution-NoDerivatives 4.0 International (CC BY-ND 4.0). Users are able to read, download, copy, print, distribute, search, link to the full texts of these articles, or use them for any other lawful purpose, without asking prior permission from the publisher or the author.

This Article is brought to you for free and open access by ScholarWorks@UARK. It has been accepted for inclusion in Journal of the Arkansas Academy of Science by an authorized editor of ScholarWorks@UARK. For more information, please contact scholar@uark.edu, uarepos@uark.edu.

Gloria A. Young

- Miller, Dayton C.**
 1932 The Pipes of Pan, Old and New. *Scientific Monthly*, Vol. XXXIV, pp. 73-75. New York.
- Mills, William C.**
 1926 Certain Mounds and Village Sites in Ohio. *Ohio Archaeological and Historical Society Publications*, Vol. 4, Pt. 4. Columbus.
- Moore, Clarence B.**
 1948 Certain Sand Mounds at the St. Johns River, Florida. *Journal of the Academy of Natural Sciences of Philadelphia*, Vol. X, Pt. 2. Philadelphia.
- 1903 Certain Aboriginal Mounds, Central Florida, West Coast. *Journal of the Academy of Natural Sciences of Philadelphia*, Vol. XII, Pt. 3. Philadelphia.
- Moorehead, Warren K.**
 1922 The Hopewell Mound Group of Ohio. *Field Museum of Natural History, Publication 211*. Chicago.
- Ritzenthaler, Robert**
 1946 The Osceola Site, an "Old Copper" Site near Potosi, Wisconsin. *The Wisconsin Archaeologist*, new series Vol. 27, No. 3, pp. 53-70. Milwaukee.
- Sears, William H.**
 1954 The Sociopolitical Organization of Pre-Columbian Cultures on the Gulf Coast Plain. *American Anthropologist*, Vol. 56, pp. 339-346. Menasha.
- Willey, Gordon and Philip Phillips**
 1958 *Method and Theory in American Archaeology*. University of Chicago Press, Chicago.
- Willoughby, Charles C.**
 1922 The Turner Group of Earthworks, Hamilton County, Ohio. *Papers of the Peabody Museum of American Archaeology and Ethnology, Harvard University*, Vol. VIII, No. 3. Cambridge.

The Freshwater Algae of Arkansas

II. New Additions

Richard L. Meyer, James H. Wheeler and J. R. Brewer

Department of Botany and Bacteriology, University of Arkansas

Fayetteville, Arkansas 72701

INTRODUCTION

This paper is the second in a series reporting the algal flora of Arkansas. A previous paper (Meyer, 1969) reviewed the published literature and recent additions to this little known flora. Thirty-two genera and 82 species or varieties are presented in this inventory. These include 24 Chlorophyceae, 4 Conjugatophyceae, 9 Xanthophyceae, 14 Chrysophyceae, 1 Bacillariophyceae, 5 Pyrrhophyceae, 25 Euglenophyceae, 4 Cryptophyceae, 4 Cyanophyceae and 1 Rhodophyceae. Except for *Porphyrosiphon notarisii* (Menegh.) Kutz. et Gom.; each of these taxa have not previously been reported from the State of Arkansas. Daily (1958) noted that an Arkansas collection of this species is on deposit in the Chicago Natural History Museum.

Annotations accompanying each species gives a brief description of the habitat and subcommunity in which the organism was collected. The aquatic subcommunities described by Round (1965) are indicated in the text by letters. The subcommunities recognized include the eu-

plankton (P), neuston (N), epipellic (EP), epilithic (EL), epiphytic (ET) and epizoid (EZ). Metaphyton (M) is used in the sense of Behre (1956) and refers to those algae, especially desmids and flagellates, which occur in close association with epiphytes but are not attached to them.

ACKNOWLEDGEMENTS

Two of the authors (RLM and JHW) were supported by the Water Resources Research Center, University of Arkansas, Grant No. A-011-ARK.

Division Chlorophyta

Class Chlorophyceae

Order Volvocales

The nomenclature used within this order is that of Huber-Pestalozzi (1961).

The Freshwater Algae of Arkansas

Gonium sociale (Duj.) Warm. Eutrophic lakes and ponds. (P)	Microspora elegans Hansg. Eutrophic pond. (ET)
Phacotus angulosa Lemm. Organically rich ponds. (P)	Order Chaetophorales
Volvox globator L. Organically rich pond. (P)	Draparnaldia plumosa (Vauch.) C. Agardh. Slowly running water. (EL)
Order Tetrasporales	Order Cladophorales
Chlorophysema inertis (Korsch.) Pasch. Eutrophic ponds. (ET)	Basicladia chelonum (Collins) Hoff. et Tilden On Chrysemys picta. (EZ)
Elaktothrix viridis (Printz) Snow Organically rich pond. (P)	Class Conjugatophyceae
Order Chlorococcales	Order Zygnematales
Actinastrum hantzschii Lagerh. Eutrophic pond. (P)	Hyalotheca mucosa (Dillw.) Ehrbg. Quiet pools in river and pasture pools. (M)
Ankistrodesmus falcatus var. acicularis (Braun) G. West Eutrophic pond. (P)	Spirogyra farlowii Trans. Eutrophic pond. (EL)
Coelastrum microporum Naeg. Eutrophic lakes (P)	Staurastrum chaetoceros (Shrod.) G. M. Smith Eutrophic lake. (P)
C. sphaericum Naeg. Eutrophic lakes	Staurodesmus dickei (W. et W.) Teil. Eutrophic pond. (P)
Crucigenia quadrata Morren Eutrophic and organically rich pools. (P)	Division Chrysophyta
C. rectangularis (Braun) Gray Organically rich pools. (P)	Class Xanthophyceae
Francia droescheri (Lemm.) G. M. Smith Organically rich pond. (P)	The nomenclature used within this class is that of Pascher (1939).
Gloeocystis gigas (Kuetz.) Lagerh. Eutrophic pond. (P)	Order Heterococcales
G. vesiculose Naeg. Eutrophic lake. (P)	Characiopsis elegans Ettl Eutrophic Pd. (ET)
Kirchneriella obesa var. major (Bern.) G. M. Smith Eutrophic ponds. (P)	C. longipes (Rabenh.) Borzi Organically rich pool. (ET)
Oocystis solitaria Whittr. Eutrophic lake. (P)	C. turgida W. et W. Organically rich pool. (ET)
Pediastrum simplex var. duodenarium (Bailey) Rabenh. Eutrophic lake. (P)	Goniochloris trigona Pasch. Organically rich pond. (P)
Quadrigula lacustris (Bohlin) Printz Organically rich ponds. (P)	Mischococcus confervoides Naeg. Eutrophic lakes and ponds. (ET)
Tetraedron caudatum (Corda) Hansg. Organically rich ponds. (P)	Ophiocytium arbuscula Rabenh. Eutrophic pond. (ET)
T. multicum (Braun) Hansg. Eutrophic lake. (P)	Tetrapletron acuminatum (Pasch.) Fott Organically rich pond. (P)
T. regulare Kuetz. Organically rich ponds. (P)	Order Heterotrichales
Order Ulotrichales	Tribonema subtilissima Pasch. Organically rich pond. (ET)
	Order Heterosiphonales
	Vaucheria hamata (Vauch.) DeCand. Eutrophic Lake. (EL)
	Class Chrysophyceae
	Order Chrysomonadales

- Chrysococcus diaphanus* skuja
Organically rich pond. (P)
- Chrysosphaerella longispina* Laut.
Organically rich pond. (P)
- Dinobryon bavaricum* Imh.
Eutrophic lake. (P)
- D. cylindricum* Imh.
Eutrophic lake. (P)
- D. cylindricum* var. *alpinum* (Imh.) Bachm.
Eutrophic lake. (P)
- D. cylindricum* var. *palustre* Lemm.
Eutrophic lake. (P)
- Mallomonas akromonas* var. *parvula* Conrad
Eutrophic lake. (P)
- M. fagigata* Zach.
Eutrophic pond. (P)
- M. pseudo-coronata* Press.
Eutrophic lake. (P)
- Ochromonas crenulata* Klebs
Mesotrophic lake. (P)
- Uroglona sonica* Conrad
Mesotrophic lakes. (P)
- U. volvox*
Mesotrophic lake. (P)
- Order Rhizochrysidales
- Stylochrysallis parasitica* (Stein) em. Meyer et Brook
Mesotrophic lake. (ET)
- Order Chrysocapsales
- Chrysocapsa paludosa* (Korsch.) Bour.
Mesotrophic lake. (P)
- Class Bacillariophyceae
- Order Centrales
- Cyclotella menegiana* (Kuetz.)
Eutrophic lake. (P)
- Division Pyrrhophyta
- Class Dinophyceae
- The nomenclature followed within this class is that of Schiller (1933-35).
- Order Gymnodiniales
- Gymnodinium lacustre* Schil.
Eutrophic lake. (P)
- Order Peridiniales
- Hemidinium bernardinense* (Chod.) H-P.
Organically rich pond. (P)
- H. nasutum* var. *taticum* Wol.
Mesotrophic lake. (P)
- Peridinium cunningtonia* (Lemm.) Lemm.
Eutrophic lake. (P)
- Order Dinococcales
- Phytodinedria coconiforme* Baum.
Mesotrophic lake. (ET)
- Division Euglenophyta
- The nomenclature used within this division is that of Huber-Pestalozzi (1955).
- Class Euglenophyceae
- Order Euglenales
- Astasia klebsii* Lemm.
Eutrophic lake. (P)
- Entosiphon sulcatum* (Duj.) Stein
Organically rich pond. (P)
- Euglena ehrenbergii* var. *torta* Ped.-Stscheg.
Eutrophic lake. (P)
- E. oxyuris* Schmarda
Eutrophic lake. (P)
- E. torta* Stokes
Eutrophic lake. (P)
- E. tripterus* (Duj.) Klebs
Eutrophic lake. (P)
- Lepocinclis acicularis* France
Organically rich pond. (P)
- L. ovum* var. *dimidio-minor* Defl.
Organically rich pond. (P)
- L. radiata* Chad.
Eutrophic lake. (P)
- L. texta* (Duj.) Lemm. em. Con.
Eutrophic pond. (P)
- Phacus granum* Drez.
Organically rich pond. (P)
- P. longicaudata* (Ehrbg.) Duj.
Eutrophic lake. (P)
- P. platalea* var. *tiszae* Hortb.
Mesotrophic pond. (P)
- P. suecica* Lemm.
Eutrophic lake. (P)
- Trachelomonas benardinensis* Visch. em. Defl.
Eutrophic lake. (P)
- T. cervicula* Stokes
Organically rich pond. (P)
- T. curta* DaCunha
Organically rich pond. (P)

The Freshwater Algae of Arkansas

T. curta var. castrensis (Palmer) Defl.
Organically rich pond. (P)

T. granulosa var. oblonga Ulayf.
Eutrophic lake. (P)

T. horrida Palmer
Organically rich pond. (P)

T. oblonga Lemm.
Organically rich pond. (P)

T. raciborskii Wol.
Eutrophic lake. (P)

T. raciborskii var. roggiae Skv.
Eutrophic lake. (P)

T. umbilicoforme var. deflandrei Conrad
Organically rich pond. (P)

T. volvocina var. papilopunctata Skv.
Organically rich pond. (P)

Class Cryptophyceae

Order Crytomonadales

Chroomonas nordstedtii Hansg.
Rivers and eutrophic lake. (P)

Cryptomonas ozolini Skuja
Organically rich pond. (P)

C. tetrapyrenoidosa Skuja
Eutrophic lake. (P)

Order Chloromonadales

Gonyostomun semen (Ehrbg.) Diesing
Mesotrophic lake. (P)

Division Cyanophyta

Class Cyanophyceae

The nomenclature used in this class is that of
Geitler (1931-32).

Order Chroococcales

Coleosphaerium kuetzingianum Naeg.
Eutrophic lakes. (P)

C. naeglianum (Lemm). Ung.
Eutrophic lakes. (P)

Order Oscillatoriales

Porphyrosiphon notarisii (Menegh.) Kutz. et. Gam.
On soil. (EL)

Raphidiopsis curvata Fritsch
Organically rich vernal pool. (P)

Spirulina okensis (C. Meyer) Geit.
Eutrophic lake. (P)

Division Rhodophyta

Class Rhodophyceae

Order Nemalionales

Lemanea australis Atk.
Rapidly flowing river. (EL)

LITERATURE CITED

Behre, L., 1956

Die Algen besiedelnd einiger Seen um Bremen und
Bremerhaven. Ver. Inst. Meersk. Bremmerhaven
4:221-283.

Daily, W. A., 1948

Notes on Algae III. Butler Univ. Bot. Stud. 8:121-
122.

Geitler, L., 1931-32

Cyanophyceae. In L. Rabenhorst, Kryptogamen-
Flora von Deutschlands, Osterreich und der
Schweiz. Bd. 14., 1056 pp.

Huber-Pestalozzi, G. 1955

Das Phytoplankton des Süsswasser. Bd. 16, T. 4
Euglenophyceae. E. Schweizerbart'sche Verlag,
Stuttgart. 606 pp.

, 1961

Das Phytoplankton des Süsswasser. Bd. 16, T. 6
Volvocales. E. Schweizerbart'sche Verlag. Stutt-
gart. 644 pp.

Meyer, R. L., 1969

The Freshwater Algae of Arkansas. I. Introduction
and Recent Additions. Ark. Acad. Sci. Proc.
23:145-156.

Pascher, A., 1939

Heterokonten. In L. Rabenhorst, Kryptogamen-Flora
von Deutschlands, Osterreich und der Schweiz. Bd.
11. 1092 pp.

Round, F., 1965

The Biology of Algae. E. Arnold, Ltd. London, 269
pp.

Schiller, J., 1933-35

Dinoflagellates. In L. Rabenhorst, Kryptogamen-
Flora von Deutschland, Osterreich und der Schweiz.
Bd. 10. T. 3(1-2).