# Journal of the Arkansas Academy of Science

Volume 17

Article 12

1963

# Hypogene Clay and Mica Minerals Associated with Fault Zones in the Ouachita Mountains-Arkoma Basin Area, Arkansas

Charles G. Stone Arkansas Geological Survey

Follow this and additional works at: https://scholarworks.uark.edu/jaas

🔮 Part of the Geology Commons, Sedimentology Commons, and the Stratigraphy Commons

## **Recommended Citation**

Stone, Charles G. (1963) "Hypogene Clay and Mica Minerals Associated with Fault Zones in the Ouachita Mountains-Arkoma Basin Area, Arkansas," *Journal of the Arkansas Academy of Science*: Vol. 17, Article 12.

Available at: https://scholarworks.uark.edu/jaas/vol17/iss1/12

This article is available for use under the Creative Commons license: Attribution-NoDerivatives 4.0 International (CC BY-ND 4.0). Users are able to read, download, copy, print, distribute, search, link to the full texts of these articles, or use them for any other lawful purpose, without asking prior permission from the publisher or the author. This Article is brought to you for free and open access by ScholarWorks@UARK. It has been accepted for inclusion in Journal of the Arkansas Academy of Science by an authorized editor of ScholarWorks@UARK. For more information, please contact scholar@uark.edu, uarepos@uark.edu.

Journal of the Arkansas Academy of Science, Vol. 17 [1963], Art. 12

Arkansas Academy of Science Proceedings, Vol. 17, 1963

### HYPOGENE CLAY AND MICA MINERALS ASSOCIATED WITH FAULT ZONES IN THE OUACHITA MOUNTAINS-ARKOMA BASIN AREA, ARKANSAS

Charles G. Stone Arkansas Geological Commission

#### ABSTRACT

During geologic mapping in the Ouachita Mountains-Arkoma Basin area hypogene clay minerals were found in quartz veins, or along fractures, joints or small slickensided surfaces commonly in or very near fault zones. In the vicinity of Little Rock hypogene micas occur along with the clay and other minerals suggesting an even higher temperature for this part of the region. The clay and mica minerals are: dickite, two varieties of rectorite, muscovite, cookeite (a lithium mica), and chlorite. The presence of these minerals, especially dickite, is useful in determining fault zones in the Ouachita Mountains-Arkoma Basin area. These minerals indicate that fairly high temperature hydrothermal solutions were present throughout this region.